


REV.	APPR. BY	DATE

REV.	APPR. BY	DATE



TYPICAL SECTION

NOTES:

1. DECKS OR FENCES OTHER THAN WOOD MAY BE PERMITTED PROVIDED THE ADDITIONAL LOADING IS WITHIN THE DESIGN STRUCTURAL STRENGTH OF THE EXISTING BULKHEAD WALL, AND THE DECK OR FENCE CAN BE REMOVED WITHOUT DAMAGE TO THE BULKHEAD. CONCRETE OR SIMILAR DECK MATERIALS ARE NOT ALLOWED.
2. DETAILED STRUCTURAL CALCULATIONS, PREPARED BY AN R.C.E. IN CALIFORNIA, SHALL BE REQUIRED BY THE CITY FOR REVIEW, PRIOR TO ISSUANCE OF ANY PERMITS.
3. ALL CONSTRUCTION SHALL CONFORM TO CURRENT CITY STANDARD SPECIFICATIONS.
4. ALL CALCULATIONS SUBMITTED SHALL CONFORM WITH CURRENT A.C.I. AND CALIF. BUILDING CODE REQUIREMENTS.

 CITY OF Oxnard	DECK/FENCE CONSTRUCTION OVER OR NEAR BULKHEAD WALL		STANDARD PLAN 2002
	DRAWN: STAFF CKD.: STAFF	APPR.  Granville M. Bowman	
Department of Public Works			SHEET 1 OF 1